

**Table 11. OE Site 48 Intercept Distances and Percent Cover for Shrub Species,
Bare, and Vegetated Ground - 1998
1999 Annual Monitoring Report
Former Fort Ord, Monterey County, California**

Code	Scientific Name	Transect Length (meters) Common name	Transect 1 40.2		Transect 2 50.0		Transect 3 50.0		Transect 4 45.0		Combined Estimated (%) Cover
			Intercept Distance	(%) Cover	Intercept Distance	(%) Cover	Intercept Distance	(%) Cover	Intercept Distance	(%) Cover	
ADFA	<i>Adenostoma fasciculatum</i>	chamise	21.9	54.5	5.1	10.2	0.8	1.6	24.6	54.7	28.29
ARMO	<i>Arctostaphylos montereyensis</i>	Toro manzanita	7.7	19.2	6.8	13.6			6.6	14.7	11.39
ARTO	<i>Arctostaphylos t. tomentosa</i>	shaggy-barked manzanita	4.8	11.9	25.0	50.0	40.9	81.8	0.1	0.2	38.23
BAPI	<i>Baccharis pilularis</i>	coyote brush			3.6	7.2					1.94
CECR	<i>Ceanothus cuneatus rigidus</i>	Monterey ceanothus	1.1	2.7			6.3	12.6	3.5	7.8	5.89
CEDE	<i>Ceanothus dentatus</i>	dwarf ceanothus									0.00
ERGL	<i>Erechtites glomerata*</i>	cut-leaved fireweed									0.00
ERCO	<i>Eriophyllum confertiflorum</i>	golden-yarrow									0.00
HESC	<i>Helianthemum scoparium</i>	rush rose									0.00
HEAR	<i>Heteromeles arbutifolia</i>	toyon					0.3	0.6			0.16
LECA	<i>Lepechinia calycina</i>	pitcher sage					0.4	0.8			0.22
LOSC	<i>Lotus scoparius</i>	deerweed									0.00
MIAU	<i>Mimulus aurantiacus</i>	sticky monkey flower					0.2	0.4	0.5	1.1	0.38
QUAG	<i>Quercus a. agrifolia</i>	coast live oak			3.2	6.4			0.8	1.8	2.16
RISP	<i>Ribes speciosum</i>	fuchsia-flowered gooseberry							1.9	4.2	1.03
SAME	<i>Salvia mellifera</i>	black sage	3.2	8.0	2.6	5.2					3.13
TODI	<i>Toxicodendron diversilobum</i>	poison oak									0.00
Total Species Cover			38.7	96.3	46.3	92.6	48.9	97.8	38.0	84.4	92.82
BG	--	Bare Ground	5.4	13.4	7.6	15.2	2.5	5.0	3.4	7.6	10.21
VG	--	Vegetated Ground	0.4	1.0	8.2	16.4	1.0	2.0	3.8	8.4	7.24
Total Cover			44.5	110.7	62.1	124.2	52.4	104.8	45.2	100.4	110.26

*Non-native species