

**Table 13. OE Site 48 Percent Cover for Herbaceous Sampling
1999 Annual Monitoring Report
Former Fort Ord, Monterey County, California**

Code	Scientific Name	Common Name	Transect 1					Average Cover (%)	Transect 4					Average Cover (%)	Combined Average Cover (%)
			1 % Cover	2 % Cover	3 % Cover	4 % Cover	5 % Cover		1 % Cover	2 % Cover	3 % Cover	4 % Cover	5 % Cover		
ADFA	<i>Adenostoma fasciculatum</i>	chamise	45		18	80					25	2	5.4	17.00	
AGPA	<i>Agrostis pallens</i>	leafy bent-grass									5		1.0	0.50	
AICA	<i>Aira caryophylla</i> *	silvery hair-grass		2	3		1.0		30	85	10	35	32.0	16.50	
ANAR	<i>Anagallis arvensis</i> *	scarlet pimpernel	1				0.2							0.10	
BAPI	<i>Baccharis pilularis</i>	coyote brush	2	10			2.8				13		2.8	2.70	
BLCR	<i>Bloomeria crocea</i>	golden stars								5		3	1.8	0.80	
BRMI	<i>Briza minor</i> *	small quaking grass	5				1.0							0.50	
BRDI	<i>Bromus diandrus</i> *	ripgut grass	2				0.4							0.20	
BRHO	<i>Bromus hordeaceus</i> *	soft chess							2				0.4	0.20	
CACH	<i>Camissonia cheiranthifolia</i>	beach evening primrose		1			0.2							0.10	
CEVE	<i>Centaureum venustum</i>	canchalagua		3			0.8							0.30	
CHDI	<i>Chorizanthe diffusa</i>	diffuse spine-flower										10	2.0	1.00	
COBO	<i>Conyza bonariensis</i> *	South American conyza		8			1.8							0.80	
DAPU	<i>Daucus pusillus</i>	rattlesnake weed			1		0.2							0.10	
ERGL	<i>Erechtites glomerata</i> *	cut-leaved fireweed	50	70			24.0		8	15	25	10	11.6	17.80	
ERCO	<i>Eriophyllum confertiflorum</i>	golden-yarrow				5	1.0						0.0	0.50	
GACA	<i>Galium californicum</i>	California bedstraw									1		0.2	0.10	
GAPO	<i>Galium porrigens</i>	climbing bedstraw	3		2		1.0			2			0.4	0.70	
GNLA	<i>Gnaphalium luteo-album</i> *	weedy cudweed								1		2	0.8	0.30	
GNPU	<i>Gnaphalium purpureum</i>	purple cudweed	2		10		2.4					3	0.8	1.50	
HYGL	<i>Hypochaeris glabra</i> *	smooth cat's ear							3				0.6	0.30	
LARA	<i>Lagophylla ramosissima</i>	common hareleaf		7			1.4					5	1.0	1.20	
LICA	<i>Linaria canadensis</i>	blue toad-flax		2			0.4							0.20	
LOSC	<i>Lotus scoparius</i>	deerweed			1		0.2							0.10	
LUCO	<i>Luzula comosa</i>	common wood rush	1				0.2							0.10	
MIAU	<i>Mimulus aurantiacus</i>	sticky monkey flower							10				2.0	1.00	
NAPU	<i>Nassella pulchra</i>	purple needlegrass	5				1.0							0.50	
NAAT	<i>Navaretia atractyloides</i>	holly-leaved navaretia	1	2		3	1.2							0.60	
PLCO	<i>Plantago coronopus</i> *	cut-leaved plantain	3				0.8							0.30	
PLOM	<i>Polypogon maritimus</i> *	maritime beard-grass	5				1.0							0.50	
SOAS	<i>Sonchus asper</i> *	prickly sow-thistle									3		0.6	0.30	
VUMY	<i>Vulpia m. myuros</i> *	rat-tail fescue		3			0.6		40	5		8	10.6	5.60	
Total Vegetative Ground			125	108	35	85	15	73.6	0	93	113	82	68	71.2	72.40
BG	--	Bare Ground		10	65	15	85	35.0	100	15		21	40	35.2	35.10
Total Cover			250	226	135	185	115	108.6	100	201	226	185	176	106.4	107.50

*Non-native species