

**Table 21. Percent Vegetative Cover by Species in Seasonal Wetland Habitat - Waterbodies 1 and 2
1999 Annual Monitoring Report
Former Fort Ord, Monterey County, California**

Code	Scientific Name	Common Name	Transect 1							Average Cover (%)
			1 %	2 %	3 %	4 %	5 %	6 %	7 %	
AICA	<i>Aira caryophyllea</i> *	silvery hair-grass	1		2				5	1.14
BRMI	<i>Briza minor</i> *	small quaking grass	2	3					5	1.43
ELMA	<i>Eleocharis macrostachya</i>	pale spike-rush		65	55		85			29.29
GECA	<i>Geranium carolinianum</i> *	Carolina geranium	1							0.14
GNLA	<i>Gnaphalium luteo-album</i> *	weedy cudweed	2	2						0.57
GNPA	<i>Gnaphalium palustre</i>	lowland cudweed			5	2				1.00
HOBR	<i>Hordeum brachycantherum</i>	meadow barley			2	35				5.29
JUBA	<i>Juncus balticus</i>	Baltic rush			10					1.43
JUBU	<i>Juncus b. bufonius</i>	common toad rush				15				2.14
JUPH	<i>Juncus phaeocephalus</i>	brown-headed rush	77	15				25	5	17.43
LOMU	<i>Lolium multiflorum</i> *	Italian ryegrass	5					5	15	3.57
LYHY	<i>Lythrum hyssopifolium</i> *	grass poly		3	1					0.57
MEPO	<i>Medicago polymorpha</i> *	California bur-clover							5	0.71
PLCO	<i>Plantago coronopus</i> *	cut-leaved plantain	7	5	7	5		5	5	4.86
POMA	<i>Polypogon maritimus</i> *	maritime beard-grass	1							0.14
QUAG	<i>Quercus a. agrifolia</i>	coast live oak							1	0.14
RA	<i>Ranunculus</i> sp.	buttercup			5					0.71
RUCR	<i>Rumex crispus</i> *	curly dock						10		1.43
SOAS	<i>Sonchus asper</i> *	prickly sow-thistle							5	0.71
SPRU	<i>Spergularia rubra</i>	purple sand spurry				5				0.71
TRGR	<i>Trifolium gracilentum</i>	pinpoint clover	1							0.14
TRSU	<i>Trifolium subterraneum</i>	subterranean clover						80	5	12.14
VUBR	<i>Vulpia bromoides</i> *	six-week fescue	3							0.43
VUMY	<i>Vulpia microstachys</i>	Nuttall's fescue				5			35	5.71
Total Vegetative Cover			100	93	87	67	85	125	86	91.86
BG	--	Bare Ground		10	25	40	15		14	14.86
Total Cover			100	103	112	107	100	125	100	106.7

*Non-native species