

Table 24. Percent Vegetative Cover by Species in Seasonal Wetland Habitat - Waterbody 47
 1999 Annual Monitoring Report
 Former Fort Ord, Monterey County, California

Code	Scientific Name	Common Name	Transect 1						Average Cover (%)	Transect 2					Average Cover (%)	Transect 3					Average Cover (%)	Transect 4						Average Cover (%)	Combined Average Cover (%)								
			1 %	2 %	3 %	4 %	5 %	6 %		1 %	2 %	3 %	4 %	5 %		1 %	2 %	3 %	4 %	5 %		1 %	2 %	3 %	4 %	5 %	6 %										
ACMI	<i>Achillea millefolium</i>	yarrow									2			0.4												5										0.8	0.31
AGEX	<i>Agrostis exarata</i>	western bent-grass											25	5.0																						1.25	
AICA	<i>Aira caryophylla</i> *	silvery hair-grass																																		0.92	
ANMA	<i>Anaphalis margaritacea</i>	pearly everlasting	10	5	5	2																														0.13	
ARDO	<i>Artemisia douglasiana</i>	mugwort																																		0.21	
BAPI	<i>Baccharis pilularis</i>	coyote brush	5																																	0.26	
BRMI	<i>Britza minor</i> *	small quaking grass			5																															0.10	
BRDI	<i>Bromus diandrus</i> *	ripgut grass	5																																	0.25	
BRHO	<i>Bromus hordeaceus</i> *	soft chess											5	1.0																						0.10	
BRMR	<i>Bromus madritensis rubens</i>	foxtail chess											2	0.4																						12.60	
CAMA	<i>Callitriche maritima</i>	California water-starwort											2	0.4																						0.10	
CABA	<i>Carex barbarae</i>	Santa Barbara sedge																																		2.71	
CAGL	<i>Carex globosa</i>	round-fruited sedge																																		0.10	
CAED	<i>Carpobrotus edulis</i> (dead)*	hottentot fig				65								10.8																						1.25	
CEMI	<i>Centunculus minimus</i>	chaffweed																																		0.42	
CENI	<i>Cirsium vulgare</i> *	bull thistle																																		1.25	
CIVU	<i>Cirsium vulgare</i> *	South American coyoza					10							1.7																						0.21	
COBO	<i>Conyza bonariensis</i> *	horseweed																																		0.10	
COCA	<i>Conyza canadensis</i>	nut-sedge																																		0.05	
CY	<i>Cyperus</i> sp.	rattlesnake weed																																		0.42	
DAPU	<i>Daucus pusillus</i>	pale spike-rush																																		0.04	
ELMA	<i>Eleocharis macrostachya</i>	red-stem filaree																																		0.25	
ERCI	<i>Erodium cicutarium</i> *	narrow-leaved filago																																		4.00	
FIGA	<i>Filago gallica</i> *	weedy cudweed	20	50	10	5								14.2																						2.21	
GNLA	<i>Gnaphalium luteo-album</i> *	lowland cudweed																																		0.25	
GNPA	<i>Gnaphalium palustre</i>	purple cudweed																																		0.08	
GNPU	<i>Gnaphalium purpureum</i>	Chinese pulsey																																		0.33	
HECU	<i>Heliotropium curassavicum</i> *	telegraph weed																																		0.47	
HEGR	<i>Heterotheca grandiflora</i> *	tarweed																																		2.93	
HO	<i>Holocarpha</i> sp.	Baltic rush																																		1.03	
JUBA	<i>Juncus balticus</i>	common toad rush																																		6.50	
JUBU	<i>Juncus b. balticus</i>	salt rush																																		0.43	
JULE	<i>Juncus losuevii</i>	brown-headed rush																																		1.46	
JUPH	<i>Juncus phaeocephalus</i>	beardless rye grass																																		0.42	
LTTR	<i>Leymus trichoides</i>	Chile lotus	15	20																																0.43	
LOWR	<i>Lotus wrangelianus</i>	grass poly	3																																	0.10	
LYHY	<i>Lytium hyssopifolium</i> *	klkuyu grass																																		0.42	
PECL	<i>Pennisetum clandestinum</i>	cut-leaved plantain																																		0.05	
PLCO	<i>Plantago coronopus</i> *	maritime beard-grass	10																																	0.42	
POEP	<i>Polygonum/Epiobium</i>	rabbitfoot grass																																		1.27	
POMA	<i>Polygonum maritimum</i> *	cinquefoil																																		0.05	
POMO	<i>Polygonum monspeliensis</i> *	woolly heads																																		0.05	
PO	<i>Potentilla</i> sp.	California blackberry																																		0.25	
PSTG	<i>Psilocarphus l. globiferus</i>	fiddle dock																																		0.21	
PUUR	<i>Rubus ursinus</i>	willow dock																																		2.52	
RUPU	<i>Rumex pulcher</i>	knawel																																		1.30	
RUSA	<i>Rumex salicifolius</i>	blue witch																																		0.10	
SCAA	<i>Sciranthus a. annuus</i> *	unknown seedling																																		0.20	
SDUM	<i>Solanum umbelliferum</i>	western vervain																																		1.60	
INK	unknown seedling	six-week fescue																																		0.63	
VELA	<i>Verbena lasiostachys</i>	rat-tail fescue	5	10	20																															0.25	
VUUR	<i>Vulpia bromoides</i> *																																				
VUMY	<i>Vulpia m. myuros</i> *																																				
Total Vegetative Cover			83	110	75	95	42	0	67.5	63	0	63	38	66	46.0	20	100	80	90	60	70.0	80	41	0	5	0	20	24.3	51.96								
BG	--	Bare Ground	17			25	5	58	92	32.8	42		40	62	55	39.8																					
VG	--	Dead Vegetation							8	1.3					45	9.0																					
OW	--	Open Water											100			20.0																					
Total Cover			100	110	100	100	100	100	101.7	105	100	103	100	166	114.8	100	100	100	100	100	100.0	100	100	100	100	100	100	100.0	104.12								

*Non-native species