

**Table 4. OE Site 10A Percent Cover for Herbaceous Sampling
1999 Annual Monitoring Report
Former Fort Ord, Monterey County, California**

Code	Scientific Name	Common Name	Transect 1 Average Cover Class	Transect 2 Average Cover Class	Transect 5 Average Cover Class	Transect 8 Average Cover Class	Transect 11 Average Cover Class	Estimated Average Cover Class
ADFA	<i>Adenostoma fasciculatum</i>	chamise	a	a	a	a	a	a
AG	<i>Agoseris</i> sp.	agoseris	a	a	a	a	b	a
AJCA	<i>Aira caryophylla</i> *	silvery hair-grass	a	a	a	a	a	a
ARME	<i>Arbutus menziesii</i>	madrone	a	a	a	a	a	a
ARMO	<i>Arctostaphylos montereyensis</i>	Toro manzanita	a	a	a	b	a	a
ARTO	<i>Arctostaphylos l. tomentosa</i>	shaggy-barked manzanita	a	a	a	b	a	a
AVBA	<i>Avena barbata</i> *	slender wild oat	a	a	a	a	a	a
BAPI	<i>Baccharis pilularis</i>	coyote brush	b	a	a	a	a	a
BRMI	<i>Briza minor</i>	small quaking grass	a	a	a	a	a	a
CACI	<i>Calandrinia ciliata</i>	red maids	a	a	a	a	a	a
CAL	<i>Calochortus</i> sp.	Mariposa lily	a	a	a	a	a	a
CA	<i>Carex</i> sp.	sedge	a	a	a	a	a	a
CECU	<i>Ceanothus cuneatus rigidus</i>	Monterey ceanothus	a	a	a	b	a	a
CEDE	<i>Ceanothus dentatus</i>	dwarf ceanothus	a	a	a	c	a	b
CEDA	<i>Centarium davyi</i>	Davy's centaury	a	a	a	a	a	a
CHDO	<i>Chorizanthe douglasii</i>	Douglas spine-flower	a	a	a	a	a	a
CH	<i>Chorizanthe</i> sp.	spineflower	a	a	a	a	a	a
CIOV	<i>Cirsium occidentale venustum</i>	Venus thistle	c	a	a	a	a	b
CIVU	<i>Cirsium vulgare</i> *	bull thistle	a	a	a	a	a	a
CRCO	<i>Crassula connata</i>	pygmy weed	a	a	a	a	a	a
CRA	<i>Crassula</i> sp.	crassula	a	a	a	a	b	a
CR	<i>Cryptantha</i> sp.	cryptantha	a	a	a	a	a	a
EP	<i>Epiobium</i> sp.	willow herb	a	a	a	a	a	a
ERGL	<i>Erechtites glomerata</i> *	cut-leaved fireweed	d	a	b	a	b	c
ERCO	<i>Eriophyllum confertiflorum</i>	golden-yarrow	a	a	a	a	a	a
ER	<i>Erodium</i> sp.	flarree	a	a	a	a	a	a
FEOC	<i>Festuca occidentalis</i>	western fescue	a	c	a	a	a	b
FICA	<i>Filago gallica</i> *	narrow-leaved filago	a	a	a	a	a	a
GA	<i>Galium</i> sp.	bedstraw	a	a	a	a	a	a
GAEL	<i>Garrya elliptica</i>	coast silk-tassel	a	a	b	a	a	a
GNCA	<i>Gnaphalium californicum</i>	California cudweed	a	b	a	a	a	a
GNPU	<i>Gnaphalium purpureum</i>	purple cudweed	a	a	a	a	a	a
GN	<i>Gnaphalium</i> sp.	cudweed	a	a	a	a	a	a
HESC	<i>Helianthemum scoparium</i>	rush rose	a	b	a	c	a	b
HEAR	<i>Heteropmales arbutifolia</i>	toyon	a	a	a	c	a	b
HOCU	<i>Horkelia c. cuneata</i>	wedge-leaved horkelia	a	b	a	a	b	b
HYGL	<i>Hypochaeris glabra</i> *	smooth cat's ear	a	a	c	a	b	b
JUBU	<i>Juncus bufonius</i>	common toad rush	a	a	a	a	a	a
JU	<i>Juncus</i> sp.	rush	a	a	a	a	a	a
LA	Lamiaceae sp.	unidentified mint	a	a	a	a	a	a
LE	<i>Lessingia</i> sp.	lessingia	a	a	b	a	a	a
LICA	<i>Linaria canadensis</i>	blue toad-flax	a	a	a	a	a	a
LOST	<i>Lotus strigosus</i>	Bishop's lotus	a	a	a	a	a	a
MIAU	<i>Mimulus aurantiacus</i>	sticky monkey flower	a	a	a	a	a	a
NA	<i>Nassella</i> sp.	needlegrass	a	b	a	a	a	b
PIMO	<i>Pickeringia montana</i>	chaparral pea	a	a	a	a	a	a
PL	<i>Plagiobothrys</i> sp.	popcorn flower	a	a	a	a	a	a
PLER	<i>Plantago erecta</i>	California plantain	a	a	a	a	a	a
PO	<i>Poaceae</i> sp.	unidentified grass	a	a	a	a	a	a
POCA	<i>Polygala californica</i>	California milkwort	a	a	a	a	a	a
RHCA	<i>Rhamnus c. californica</i>	California coffeeberry	a	a	a	a	a	a
SADE	<i>Sagina decumbens</i>	western pearlwort	a	a	a	a	a	a
SAME	<i>Salvia mellifera</i>	black sage	a	a	a	a	a	a
SA	<i>Sanicula</i> sp.	sanicle	a	a	a	a	a	a
SIGA	<i>Silene gallica</i>	windmill pink	a	a	a	a	a	a
TODI	<i>Toxicodendron diversilobum</i>	poison oak	a	a	a	a	a	a
UNKN	Unknown species	unknown herb	a	a	a	a	a	a
VUMY	<i>Vulpia myuros</i> *	rat-tail fescue	c	a	a	a	a	b
VUOC	<i>Vulpia octoflora</i>	slender fescue	b	a	a	a	a	a
VU	<i>Vulpia</i> sp.	annual fescue	a	a	a	a	a	a
ZIFR	<i>Zigadenus fremontii</i>	Fremont's star lily	a	a	a	a	a	a
	Total Vegetative Cover		e	d	d	d	d	d

* Non-native species

Cover Class
a = 0-1%
b = 2-5%
c = 6-25%
d = 26-50%
e = 51-75%
f = 76-95%
g = 96-100%