

Table 30. Flora Observed During Wetland Monitoring
2000 Annual Monitoring Report
Former Fort Ord, Monterey County, California

| Scientific Name | Common Name | Wetland Indicator Status |
|----------------------------------|-----------------------|--------------------------|
| <i>Agrostis exarata</i> | western bent-grass | FACW |
| <i>Aira caryophyllea*</i> | silvery hair-grass | NI |
| <i>Alopecurus saccatus</i> | Pacific Foxtail | OBL |
| <i>Anagallis arvensis*</i> | scarlet pimpernel | FAC |
| <i>Aphanes occidentalis</i> | western lady's mantle | NI |
| <i>Bloomeria crocea</i> | golden stars | NI |
| <i>Briza minor*</i> | small quaking grass | FACW |
| <i>Brodiaea terrestris</i> | ground brodiaea | NI |
| <i>Bromus diandrus*</i> | ripgut grass | NI |
| <i>Bromus hordeaceus*</i> | soft chess | FACU |
| <i>Centunculus minimus</i> | chaffweed | FACW |
| <i>Conium maculatum*</i> | poison hemlock | FACW |
| <i>Conyza canadensis</i> | horseweed | FAC |
| <i>Cotula coronopifolia*</i> | brass buttons | FACW |
| <i>Crypsis schoenoides</i> | swamp grass | OBL |
| <i>Cyperus erythrorhizos</i> | red-rooting cyperus | OBL |
| <i>Danthonia californica</i> | California oatgrass | FACU |
| <i>Deschampsia danthonioides</i> | annual hair-grass | FACU |
| <i>Distichlis spicata</i> | saltgrass | FACW |
| <i>Dodecatheon hendersonii</i> | shooting star | NI |
| <i>Eleocharis a. acicularis</i> | needle spike-rush | OBL |
| <i>Eleocharis macrostachya</i> | pale spike marsh | OBL |
| <i>Erechtites glomerata*</i> | cut-leaved fireweed | NI |
| <i>Erodium botrys*</i> | broadleaf filaree | NI |
| <i>Eryngium armatum</i> | coast eryngo | FACW |
| <i>Filago gallica*</i> | narrow-leaved filago | NI |
| <i>Gastridium ventricosum</i> | nit-grass | FACU |
| <i>Geranium carolinianum</i> | Carolina geranium | NI |
| <i>Gnaphalium luteo-album*</i> | common cudweed | FACW |
| <i>Gnaphalium palustre</i> | lowland cudweed | FACW |
| <i>Gnaphalium purpureum</i> | purple cudweed | NI |
| <i>Heliotropium curassavicum</i> | Chinese pusley | OBL |
| <i>Hemizonia corymbosa</i> | coast tarweed | NI |
| <i>Heterocodon rariflorum</i> | heterocodon | FACW |
| <i>Hordeum b. brachyantherum</i> | meadow barley | FACW |
| <i>Hypochaeris glabra*</i> | smooth cats' ear | NI |
| <i>Juncus b. bufonius</i> | common toad rush | FACW |
| <i>Juncus capitatus</i> | capped grass | FACU |
| <i>Juncus lesueurii</i> | salt rush | FACW |
| <i>Juncus occidentalis</i> | western rush | FACW |
| <i>Juncus phaeocephalus</i> | brown-headed rush | FACW |
| <i>Lasthenia glaberrima</i> | smooth lasthenia | OBL |
| <i>Leymus triticoides</i> | beardless ryegrass | NI |
| <i>Lolium multiflorum*</i> | Italian ryegrass | NI |
| <i>Lotus purshianus</i> | Spanish lotus | NI |
| <i>Lythrum hyssopifolium*</i> | grass poly | FACW |
| <i>Malvella leprosa</i> | alkali mallow | FAC |
| <i>Oxalis pes-caprae*</i> | Bermuda buttercup | NI |
| <i>Phalaris lemmonii</i> | Lemmon's canary grass | FACU |
| <i>Picris echioides*</i> | bristly ox-tongue | FAC |

Table 30. Flora Observed During Wetland Monitoring
2000 Annual Monitoring Report
Former Fort Ord, Monterey County, California

| Scientific Name | Common Name | Wetland Indicator Status |
|--|--------------------------|--------------------------|
| <i>Plagiobothrys chorisianus hickmanii</i> | Hickman's popcornflower | OBL |
| <i>Plantago coronopus*</i> | cutleafed plantain | FAC |
| <i>Plantago erecta</i> | dwarf plantain | NI |
| <i>Poa secunda</i> | Pacific bluegrass | NI |
| <i>Polypogon maritimus*</i> | maritime beard-grass | OBL |
| <i>Polypogon monspeliensis*</i> | rabbitfoot grass | FACW |
| <i>Potamogeton nodosus</i> | common American pondweed | OBL |
| <i>Psilocarphus tenellus globiferus</i> | woolly-heads | FAC |
| <i>Rumex acetosella*</i> | sheep sorrel | FAC |
| <i>Rumex s. salicifolius</i> | willow dock | OBL |
| <i>Scirpus koilolepis</i> | keeled club-rush | FACW |
| <i>Sisyrinchium bellum</i> | blue-eyed grass | FAC |
| <i>Sonchus oleraceus*</i> | Common sow-thistle | NI |
| <i>Stachys a. ajugoides</i> | bugle hedge-nettle | OBL |
| <i>Trifolium barbigerum</i> | small-headed clover | FACW |
| <i>Trifolium microcephalum</i> | small-headed clover | FACU |
| <i>Trifolium willdenovii</i> | tomcat clover | NI |
| <i>Verbena lasiostachys</i> | western vervain | FAC |
| <i>Vulpia microstachys</i> | Nuttall's fescue | NI |
| <i>Vulpia m. myuros*</i> | rat-tail fescue | FACU |

*Not Native to California

Wetland indicator definitions:

OBL-obligate >99% probability of occurrence in wetlands

FACW-facultative wetland >67% probability of occurrence in wetlands

FAC-facultative .33% to 67% probability of occurrence in wetlands

FACU-facultative upland 1% to 33% probability of occurrence in wetlands

UPL-upland <1% probability of occurrence in wetlands

NI-no indicator status assigned